

# Conditional Probability and Independence

Saravanan Vijayakumaran  
sarva@ee.iitb.ac.in

Department of Electrical Engineering  
Indian Institute of Technology Bombay

January 21, 2015

# Conditional Probability

# Conditional Probability

## Definition

If  $P(B) > 0$  then the conditional probability that  $A$  occurs given that  $B$  occurs is defined to be

$$P(A|B) = \frac{P(A \cap B)}{P(B)}$$

## Examples

- Two fair dice are thrown. Given that the first shows 3, what is the probability that the total exceeds 6?
- A box has three white balls  $w_1$ ,  $w_2$ , and  $w_3$  and two red balls  $r_1$  and  $r_2$ . Two random balls are removed in succession. What is the probability that the first removed ball is white and the second is red?

# Law of Total Probability

## Theorem

For any events  $A$  and  $B$  such that  $0 < P(B) < 1$ ,

$$P(A) = P(A \cap B) + P(A \cap B^c) = P(A|B)P(B) + P(A|B^c)P(B^c).$$

More generally, let  $B_1, B_2, \dots, B_n$  be a partition of  $\Omega$  such that  $P(B_i) > 0$  for all  $i$ . Then

$$P(A) = \sum_{i=1}^n P(A \cap B_i) = \sum_{i=1}^n P(A|B_i)P(B_i)$$

## Examples

- Box 1 contains 3 white and 2 black balls. Box 2 contains 4 white and 6 black balls. If a box is selected at random and a ball is chosen at random from it, what is the probability that it is white?
- We have two coins; the first is fair and the second has heads on both sides. A coin is picked at random and tossed twice. What is the probability of heads showing up in both tosses?

# Bayes' Theorem

## Theorem

For any events  $A$  and  $B$  such that  $P(A) > 0$ ,  $P(B) > 0$ ,

$$P(A|B) = \frac{P(B|A)P(A)}{P(B)}.$$

If  $A_1, \dots, A_n$  is a partition of  $\Omega$  such that  $P(A_i) > 0$  and  $P(B) > 0$ , then

$$P(A_j|B) = \frac{P(B|A_j)P(A_j)}{\sum_{i=1}^n P(B|A_i)P(A_i)}.$$

## Examples

- Box 1 contains 3 white and 2 black balls. Box 2 contains 4 white and 6 black balls. A box is selected at random and a ball is chosen at random from it. If the chosen ball is white, what is the probability that box 1 was selected?
- We have two coins; the first is fair and the second has heads on both sides. A coin is picked at random and tossed twice. If heads showed up in both tosses, what is the probability that the coin is fair?

Independence

# Independent Events

## Definition

Events  $A$  and  $B$  are called independent if

$$P(A \cap B) = P(A)P(B).$$

More generally, a family  $\{A_i : i \in I\}$  is called independent if

$$P\left(\bigcap_{i \in J} A_i\right) = \prod_{i \in J} P(A_i)$$

for all finite subsets  $J$  of  $I$ .

## Examples

- A fair coin is tossed twice. The first toss being Heads is independent of the second toss being Heads.
- A card is picked at random from a pack of 52 cards. The suit of the card being Spades is independent of its value being 5.
- Two fair dice are rolled. Is the the sum of the faces independent of the number shown by the first die?

# Questions

- What is the relation between independence and conditional probability?
- Does pairwise independence imply independence?

$\Omega = \{abc, acb, cab, cba, bca, bac, aaa, bbb, ccc\}$  with each outcome being equally likely.

Let  $A_k$  be the event that the  $k$ th letter is  $a$ .

$$P(A_i) = \frac{1}{3}$$

$$P(A_i \cap A_j) = \frac{1}{9}, \quad i \neq j$$

$$P(A_1 \cap A_2 \cap A_3) = \frac{1}{9}$$

$\{A_1, A_2, A_3\}$  are pairwise independent but not independent.



# Conditional Independence

## Definition

Let  $C$  be an event with  $P(C) > 0$ . Two events  $A$  and  $B$  are called conditionally independent given  $C$  if

$$P(A \cap B | C) = P(A | C)P(B | C).$$


## Example

- We have two coins; the first is fair and the second has heads on both sides. A coin is picked at random and tossed twice. Are the results of the two tosses independent? Are they independent if we know which coin was picked?

# Monty Hall Problem


# Monty Hall Problem

- Monty Hall was the host of an American game show *Let's Make a Deal*
- When game starts, contestant sees three closed doors




- One of the doors has a car behind it and the other two have goats
- The goal of the game is to pick the door which has the car behind it
- Rules of the game
  - Initially, contestant picks one of the doors, say door A
  - Monty Hall opens one of the other doors (B or C) which has a goat
  - The contestant is now given an option to change his choice
  - Should he switch from his current choice to the unopened door?

# Switching May Win




# Switching May Lose



# To switch or stay

- We will choose the strategy which has a higher probability of winning
- Suppose the car is behind Door 1
- What is the sample space?




Probability of winning with staying =  $\frac{1}{3}$

Probability of winning with switching =  $\frac{2}{3}$

# Repetition Code over a Binary Symmetric Channel

# Binary Symmetric Channel

- Channel with binary input and output




- The parameter  $p$  is called the crossover probability
- $p$  is assumed to be less than  $\frac{1}{2}$
- Errors introduced on different input bits are independent




# The 3-Repetition Code

- Given a block of message bits, each 0 is replaced with three 0's and each 1 is replaced with three 1's

$0 \rightarrow 000, 1 \rightarrow 111$



- Suppose we transmit encoded bits over a BSC



- How should we design the decoder?

## Decoding the 3-Repetition Code

- Suppose we observe  $\mathbf{y} = (y_1, y_2, y_3)$  as the output corresponding to the 3-repetition of a single bit  $b$

$$b \rightarrow bbb \rightarrow (y_1, y_2, y_3)$$

- What values can  $\mathbf{y}$  take? Can we deduce the value of  $b$  from  $\mathbf{y}$ ?
- Suppose we use the following decoding rule:  
Decide  $b = 0$  if  $P(0 \text{ sent} | \mathbf{y} \text{ received}) > P(1 \text{ sent} | \mathbf{y} \text{ received})$   
Decide  $b = 1$  if  $P(0 \text{ sent} | \mathbf{y} \text{ received}) \leq P(1 \text{ sent} | \mathbf{y} \text{ received})$
- Assume  $P(0 \text{ sent}) = P(1 \text{ sent}) = \frac{1}{2}$

$$\begin{array}{l}
 P(0 \text{ sent} | \mathbf{y} \text{ received}) \stackrel{0}{\gtrless} P(1 \text{ sent} | \mathbf{y} \text{ received}) \\
 \Leftrightarrow \frac{P(\mathbf{y} \text{ received} | 0 \text{ sent})P(0 \text{ sent})}{P(\mathbf{y} \text{ received})} \stackrel{0}{\gtrless} \frac{P(\mathbf{y} \text{ received} | 1 \text{ sent})P(1 \text{ sent})}{P(\mathbf{y} \text{ received})} \\
 \Leftrightarrow P(\mathbf{y} \text{ received} | 0 \text{ sent}) \stackrel{0}{\gtrless} P(\mathbf{y} \text{ received} | 1 \text{ sent})
 \end{array}$$

## Decoding the 3-Repetition Code

- $P(111 \text{ received} | 1 \text{ sent}) = (1 - p)^3$ ,  $P(101 \text{ received} | 1 \text{ sent}) = p(1 - p)^2$
- Let  $d(\mathbf{y}, 111)$  be the Hamming distance between  $\mathbf{y}$  and 111  
Let  $d(\mathbf{y}, 000)$  be the Hamming distance between  $\mathbf{y}$  and 000

$$P(\mathbf{y} \text{ received} | 1 \text{ sent}) = p^{d(\mathbf{y}, 111)} (1 - p)^{3 - d(\mathbf{y}, 111)}$$

$$P(\mathbf{y} \text{ received} | 0 \text{ sent}) = p^{d(\mathbf{y}, 000)} (1 - p)^{3 - d(\mathbf{y}, 000)}$$

- If  $p < \frac{1}{2}$ , then

$$P(\mathbf{y} \text{ received} | 0 \text{ sent}) \stackrel{0}{\underset{1}{\ll}} P(\mathbf{y} \text{ received} | 1 \text{ sent})$$

$$\iff d(\mathbf{y}, 000) \stackrel{1}{\underset{0}{\ll}} d(\mathbf{y}, 111)$$

- This is called the minimum distance decoder

## Reading Assignment

- Sections 1.4, 1.5 from *Probability and Random Processes*, G. Grimmett and D. R. Stirzaker, 2001 (3rd Edition)
- Chapter 1 from *The Pleasures of Probability*, Richard Isaac, 1995

Questions?