

# JavaScript and Node.js Tutorial

Saravanan Vijayakumaran

Associate Professor  
Department of Electrical Engineering  
Indian Institute of Technology Bombay

March 11, 2024

# JavaScript and Node.js

- JavaScript
  - A language created in 1995 to add interactivity to webpages
  - First shipped as part of the Netscape Navigator browser
  - Supported by all browsers today
  - Has little connection to Java; name chosen for marketing reasons
- Node.js is a JavaScript runtime released in 2009
  - Runtime = Execution environment
  - Allows running JavaScript programs outside the browser
  - Enabled the creation of many web frameworks to write server applications using JavaScript instead of PHP
  - Basis for many popular frontend frameworks like React, Vue
- Our needs
  - Learn enough JavaScript and Node.js to use Hardhat
  - Hardhat is a Node.js package for Ethereum smart contract development

# JavaScript Tutorial

# Hello World

- Using the browser

- Open Developer Tools in a browser
- Type the following in the Console tab

```
console.log("Hello, world!")
```

- Using Node.js runtime

- Install Node.js using instructions given here (nvm method is recommended for Linux/macOS)
- Create file `hello.js` containing the same string you typed above
- Run `node hello` in a terminal

# Variables

- Variables can be declared using the `let` keyword

```
let x = 5;  
let y;  
y = 'Hello';
```

- Statements have a optional semicolon at the end
  - Semicolons are useful when we want to place multiple statements on a single line
- Variable declaration and initialization can be done separately
  - Uninitialized variables evaluate to `undefined`
- The type of variables is automatically inferred
- The same variable can be reassigned to a value of a different type (dynamic typing)

```
let x = 5;  
let y = 'Hello';  
x = y;
```

- Immutable variables can be declared using the `const` keyword

```
const z = 5;
```

# Data Types

- JavaScript has 8 basic data types
  - **number**: integers in the range  $\pm(2^{53} - 1)$  or floating-point numbers, Infinity, -Infinity, NaN
  - **bignum**: arbitrary-precision integers; denoted with an n suffix
  - **string**: a string of zero or more characters
  - **boolean**: true or false
  - **undefined**: unassigned variables
  - **null**: can be used to set a variable to an unknown value
  - **object**: Complex data structures
  - **symbol**: Unique identifiers that can be used as keys in objects
- The `typeof` operator returns the data type of a variable

# Control Flow

- if statement

```
if (x % 2 == 0) {  
    console.log("Even")  
} else if (x % 3 == 0) {  
    console.log("Odd and divisible by 3")  
} else {  
    console.log("Not divisible by 2 or 3")  
}
```

- Conditional operator ?

```
let accessAllowed = (age > 18) ? true : false;
```

- switch statement

```
switch (a) {  
    case 3:  
        console.log( 'Too small' );  
        break;  
    case 5:  
        console.log( 'Too big' );  
        break;  
    default:  
        console.log( "I don't know such values" );  
}
```

# Loops

- while loop

```
while (condition) {  
    // code  
}
```

- for loop

```
for (let i = 0; i < 3; i++) {  
    console.log(i);  
}
```

# Functions

- Funcion declaration

```
function sum(a, b) {  
    return a + b;  
}
```

- The types of arguments are not specified
- The types of return values type are not specified
- Functions can return different types depending on its input

```
function getHostel(strName, num) {  
    if (strName) {  
        return `Hostel No. ${num}`;  
    } else {  
        return num  
    }  
}
```

- **Aside:** Strings enclosed in backticks can be used for variable interpolation

# Functions as Values

- Functions can be passed as arguments to other functions

```
function showMessage(predicate, yes, no) {
    if (predicate) yes()
    else no();
}

function yesFunction() {
    console.log("Predicate is true.");
}

function noFunction() {
    console.log("Predicate is false.");
}

showMessage(true, yesFunction, noFunction);
```

- Useful for defining callbacks

# Arrow Functions

- Functions can also be defined using arrow notation

```
let func = (arg1, arg2, ..., argN) => expression;
```

- Example

```
let sum = (a, b) => a + b;
```

- Rewriting earlier example with arrow functions

```
function showMessage(predicate, yes, no) {  
  if (predicate) yes()  
  else no();  
}  
  
showMessage(  
  true,  
  () => console.log("Predicate is true."),  
  () => console.log("Predicate is false."))  
;
```

# Arrays

- List of possibly differently typed values

```
let arr = [1, 2, 'Hello']
```

- The *i*th element can be accessed as `array[i]`
- Elements can be added and removed at the end of the array using `push/pop`

```
arr.push(1)  
arr.push('Hello')  
arr.pop()
```

- Elements can be added and removed at the beginning of the array using `unshift/shift`

```
let fruits = ["Orange", "Pear"];  
  
fruits.unshift('Apple');  
  
console.log(fruits); // Apple, Orange, Pear
```

# Objects

- Keyed collections of data; key-value pairs are called properties

```
let user = {  
    name: "John",  
    age: 30  
};
```

- Property values can be accessed using key names in two ways

```
console.log(user.name);  
console.log(user["age"]);
```

- Properties can be added by assignment, removed using `delete`, and checked for existence using `in`

```
user.isAdmin = true  
delete user.age  
console.log("age" in user)
```

- We can iterate over keys using a `for` loop

```
for (let k in user) {  
    console.log(k, user[k])  
}
```

# Promises

- Many JavaScript functions are asynchronous
  - Results of the function are not immediately available
- Example: `fetch` gets the contents at a URL

```
let result = fetch("https://example.com/")
console.log(result)
```

- The above code prints `Promise { <pending> }`
- A `Promise` will eventually contain the return value or an error
- We can wait for the asynchronous operation to complete using the `then` method

```
result
  .then((response) => response.text())
  .then(console.log)
  .catch((e) => {
    console.log("Something went wrong!!!!")
    console.log(e)
  })
})
```

# Async/await

- `async/await` is a better syntax for working with promises
- The `async` keyword indicates that the function returns a Promise

```
async function f() {  
    return 1;  
}  
  
f().then(console.log);
```

- We can use `await` inside `async` functions to wait for a promise to be fulfilled

```
async function getText(result) {  
    let response = await result;  
    let text = await response.text();  
    console.log(text)  
}  
  
let result = fetch("https://example.com/")  
getText(result)
```

# Node.js

# Node.js

- Enables JavaScript use outside the browser
- Has a large collection of open-source packages
- Enter Node.js REPL using `node` command
- Run scripts using `node script-name.js`
- `npm` = Node package manager
- Install packages using `npm install package-name`
  - Package files are installed in `node_modules` subdirectory of current directory
  - For global installation, use `npm install -g`
  - `package.json` and `package-lock.json` files contain details of installed packages

## Example: Accepting Command-Line Input

- The `inquirer` package can be used to accept input from the command line
- Run `npm install inquirer`
- **Contents of** `package.json`

```
{  
  "dependencies": {  
    "inquirer": "^9.2.15"  
  }  
}
```

- Add a property with key `type` and value `module`

```
{  
  "type": "module",  
  "dependencies": {  
    "inquirer": "^9.2.15"  
  }  
}
```

- This is a hack for demo purposes; not the default workflow

# Example: Accepting Command-Line Input

```
import inquirer from "inquirer";

const questions = [
  {
    name: 'name',
    type: 'input',
    message: "What's your name?",
  },
  {
    name: 'program',
    type: 'list',
    choices: ["BTech", "Dual Degree", "MTech", "IDDP", "PhD"],
    message: "Which program are you in?",
  },
];
inquirer.prompt(questions).then(answers => {
  console.log(`Name: ${answers.name}`);
  console.log(`Program: ${answers.program}`);
});
```

# References

- **JavaScript Wikipedia page**  
<https://en.wikipedia.org/wiki/JavaScript>
- **Node.js Wikipedia page** <https://en.wikipedia.org/wiki/Node.js>
- **JavaScript Tutorial** <https://javascript.info/>
- **JavaScript for NodeJS**
- **fetch** <https://developer.mozilla.org/en-US/docs/Web/API/fetch>
- **Response of fetch**  
<https://developer.mozilla.org/en-US/docs/Web/API/Response>
- **Accepting command-line input in Node.js**