


# Convolutional Codes

Saravanan Vijayakumaran  
[sarva@ee.iitb.ac.in](mailto:sarva@ee.iitb.ac.in)

Department of Electrical Engineering  
Indian Institute of Technology Bombay

October 27, 2014

# Example 1




- Message bits  $\mathbf{u} = (u_0, u_1, u_2, \dots)$
- Outputs  $\mathbf{v}^{(0)} = (v_0^{(0)}, v_1^{(0)}, v_2^{(0)}, \dots)$ ,  $\mathbf{v}^{(1)} = (v_0^{(1)}, v_1^{(1)}, \dots)$

$$v_i^{(0)} = u_i + u_{i-2} + u_{i-4}$$

$$v_i^{(1)} = u_i + u_{i-1} + u_{i-2} + u_{i-3}$$

## Example 1




- Outputs are multiplexed into a single sequence

$$\mathbf{v} = [v_0^{(0)} \quad v_0^{(1)} \quad v_1^{(0)} \quad v_1^{(1)} \quad v_2^{(0)} \quad v_2^{(1)} \quad \dots]$$

- Rate of the code is  $\frac{1}{2}$
- Encoder has memory order 3

# Example 1



- Impulse responses of the encoder

$$\mathbf{g}^{(0)} = [1 \ 0 \ 1 \ 1]$$

$$\mathbf{g}^{(1)} = [1 \ 1 \ 1 \ 1]$$

## Example 1

- Impulse responses of the encoder

$$\mathbf{g}^{(0)} = [1 \ 0 \ 1 \ 1]$$

$$\mathbf{g}^{(1)} = [1 \ 1 \ 1 \ 1]$$

- Outputs in terms of impulse responses

$$v_i^{(0)} = u_i + u_{i-2} + u_{i-3} = \sum_{j=0}^3 u_{i-j} g_j^{(0)}$$

$$v_i^{(1)} = u_i + u_{i-1} + u_{i-2} + u_{i-3} = \sum_{j=0}^3 u_{i-j} g_j^{(1)}$$

$$\mathbf{v}^{(0)} = \mathbf{u} \odot \mathbf{g}^{(0)}$$

$$\mathbf{v}^{(1)} = \mathbf{u} \odot \mathbf{g}^{(1)}$$

## Example 1

$$v_i^{(0)} = u_i + u_{i-2} + u_{i-3}$$

$$v_i^{(1)} = u_i + u_{i-1} + u_{i-2} + u_{i-3}$$

- If  $\mathbf{u}$  has length 5, then the output  $\mathbf{v}$  has length 16
- If  $\mathbf{v} = \mathbf{u}\mathbf{G}$  where  $\mathbf{G}$  is a  $5 \times 16$  matrix, then

$$\mathbf{G} = \begin{bmatrix} 1 & 1 & 0 & 1 & 1 & 1 & 1 & 1 \\ & 1 & 1 & 0 & 1 & 1 & 1 & 1 \\ & & 1 & 1 & 0 & 1 & 1 & 1 & 1 \\ & & & 1 & 1 & 0 & 1 & 1 & 1 & 1 \\ & & & & 1 & 1 & 0 & 1 & 1 & 1 & 1 \\ & & & & & 1 & 1 & 0 & 1 & 1 & 1 & 1 \end{bmatrix}$$

## Example 1

- Transform domain representation of the generator matrix is

$$\mathbf{G}(D) = [\mathbf{g}^{(0)}(D) \quad \mathbf{g}^{(1)}(D)] = [1 + D^2 + D^3 \quad 1 + D + D^2 + D^3]$$

- For input polynomial  $\mathbf{u}(D)$  given by

$$\mathbf{u}(D) = u_0 + u_1 D + u_2 D^2 + \dots$$

the output polynomials are given by


$$\mathbf{v}^{(0)}(D) = v_0^{(0)} + v_1^{(0)} D + v_2^{(0)} D^2 + \dots = \mathbf{u}(D)\mathbf{g}^{(0)}(D)$$

$$\mathbf{v}^{(1)}(D) = v_0^{(1)} + v_1^{(1)} D + v_2^{(1)} D^2 + \dots = \mathbf{u}(D)\mathbf{g}^{(1)}(D)$$


- After multiplexing the output polynomial is

$$\mathbf{v}(D) = \mathbf{v}^{(0)}(D^2) + D\mathbf{v}^{(1)}(D^2)$$

# Example 1



Encoder state diagram



## Example 1

- The set of outputs  $\mathbf{v}(D) = \mathbf{u}(D)\mathbf{G}(D)$  are the codewords corresponding to

$$\mathbf{G}(D) = [1 + D^2 + D^3 \quad 1 + D + D^2 + D^3]$$

- The following systematic generator matrix also generates the same codewords

$$\mathbf{G}'(D) = \begin{bmatrix} 1 & \frac{1+D+D^2+D^3}{1+D^2+D^3} \end{bmatrix}$$

- If  $\mathbf{v}(D) = \mathbf{u}(D)\mathbf{G}(D)$  then


$$\mathbf{v}(D) = \mathbf{u}(D)(1 + D^2 + D^3)\mathbf{G}'(D)$$

- If  $\mathbf{v}(D) = \mathbf{u}(D)\mathbf{G}'(D)$  then

$$\mathbf{v}(D) = \frac{\mathbf{u}(D)}{(1 + D^2 + D^3)}\mathbf{G}(D)$$


## Example 1

Encoder circuit corresponding to  $\mathbf{G}'(D) = \begin{bmatrix} 1 & \frac{1+D+D^2+D^3}{1+D^2+D^3} \end{bmatrix}$



This is a systematic feedback encoder

## Example 2



$$v_i^{(0)} = u_i^{(0)} + u_{i-1}^{(0)} + u_{i-1}^{(1)}$$

$$v_i^{(1)} = u_{i-1}^{(0)} + u_i^{(1)}$$

$$v_i^{(2)} = u_i^{(0)} + u_{i-1}^{(0)} + u_i^{(1)}$$

## Example 2

- Impulse responses of the encoder

$$\mathbf{g}_0^{(0)} = [1 \ 1], \quad \mathbf{g}_0^{(1)} = [0 \ 1], \quad \mathbf{g}_0^{(2)} = [1 \ 1]$$

$$\mathbf{g}_1^{(0)} = [0 \ 1], \quad \mathbf{g}_1^{(1)} = [1 \ 0], \quad \mathbf{g}_1^{(2)} = [1 \ 0]$$

- Outputs in terms of impulse responses

$$\mathbf{v}^{(0)} = \mathbf{u}^{(0)} \odot \mathbf{g}_0^{(0)} + \mathbf{u}^{(1)} \odot \mathbf{g}_1^{(0)}$$


$$\mathbf{v}^{(1)} = \mathbf{u}^{(0)} \odot \mathbf{g}_0^{(1)} + \mathbf{u}^{(1)} \odot \mathbf{g}_1^{(1)}$$

$$\mathbf{v}^{(2)} = \mathbf{u}^{(0)} \odot \mathbf{g}_0^{(2)} + \mathbf{u}^{(1)} \odot \mathbf{g}_1^{(2)}$$

- Transform domain representation of the generator matrix is

$$\mathbf{G}(D) = \begin{bmatrix} \mathbf{g}_0^{(0)}(D) & \mathbf{g}_0^{(1)}(D) & \mathbf{g}_0^{(2)}(D) \\ \mathbf{g}_1^{(0)}(D) & \mathbf{g}_1^{(1)}(D) & \mathbf{g}_1^{(2)}(D) \end{bmatrix} = \begin{bmatrix} 1+D & D & 1+D \\ D & 1 & 1 \end{bmatrix}$$

## Example 2



- Rate of the code is  $\frac{2}{3}$
- Encoder has memory order 1
- Overall constraint length is 2

## Defining a Convolutional Encoder

- Maps  $k$  inputs to  $n$  outputs
- Linearly maps input sequences of arbitrary length to output sequences
  - What are the domain and range of the encoder?
- Has a transform domain generator matrix with rational function entries
  - Can any arbitrary rational function appear in the generator matrix?

## Binary Laurent Series

- Let  $\mathbb{F}_2((D))$  be the set of expressions  $x(D) = \sum_{i=m}^{\infty} x_i D^i$  where  $m \in \mathbb{Z}$  and  $x_i \in \mathbb{F}_2$
- $x(D) \in \mathbb{F}_2((D))$  has finitely many negative powers of  $D$
- For  $y(D) = \sum_{i=n}^{\infty} y_i D^i$ , define the operations of addition and multiplication on  $\mathbb{F}_2((D))$  as

$$x(D) + y(D) = \sum_{\min(m,n)}^{\infty} (x_i + y_i) D^i$$


$$x(D) * y(D) = \sum_{k=m+n}^{\infty} \left( \sum_{i+j=k} x_i y_j \right) D^k$$

- $\mathbb{F}_2((D))$  is a field
- A convolutional encoder is a linear map from  $\mathbb{F}_2^k((D))$  to  $\mathbb{F}_2^n((D))$

# Realizable Rational Functions

- A rational transfer function  $g(D) = f(D)/q(D)$  is said to be realizable if  $q(0) = 1$
- Let  $v(D) = u(D)g(D)$  where

$$g(D) = \frac{f_0 + f_1 D + \cdots + f_m D^m}{1 + q_1 D + \cdots + q_m D^m}$$



Questions? Takeaways?