

Repetition Code


Saravanan Vijayakumaran
sarva@ee.iitb.ac.in

Department of Electrical Engineering
Indian Institute of Technology Bombay

July 21, 2015

3-Repetition Code

- Each message bit is repeated 3 times



- How many errors can it correct?
- How many errors can the following code correct?

$0 \rightarrow 101, 1 \rightarrow 010$

- What about this code?

$0 \rightarrow 101, 1 \rightarrow 110$

- Error correcting capability depends on the distance between the codewords


5-Repetition Code

- Each message bit is repeated 5 times
- How many errors can it correct?
- Is it better than the 3-repetition code?
- A code has rate $\frac{k}{n}$ if it maps k -bit messages to n -bit codewords
- There is a tradeoff between rate and error correcting capability

Decoder


- Majority decoder was used for decoding repetition codes
- How do we know the majority decoder is the best?
- Consider a channel which flips all input bits. Does the majority decoder work?
- Consider a channel which causes burst errors. What is the best decoder?
- The optimal decoder depends on the channel

Binary Symmetric Channel



- p is called the crossover probability
- Abstraction of a modulator-channel-demodulator sequence
- Any error pattern is possible
- It is impossible to correct all errors

Optimal Decoder for 3-Repetition Code over BSC



- Let X be the transmitted bit and \hat{X} be the decoded bit
- What is a decoder?
- Let Γ_0 and Γ_1 be a partition of $\Gamma = \{0, 1\}^3$
- If \mathbf{Y} is the received 3-tuple then

$$\hat{X} = \begin{cases} 0 & \text{if } \mathbf{Y} \in \Gamma_0 \\ 1 & \text{if } \mathbf{Y} \in \Gamma_1 \end{cases}$$

- How can we compare decoders?
- Probability of correct decision = $\Pr(\hat{X} = X)$

Maximizing Probability of Correct Decision

Let $\pi_0 = \Pr(X = 0)$ and $\pi_1 = \Pr(X = 1)$

$$\begin{aligned}\Pr(\hat{X} = X) &= \pi_0 \Pr(\mathbf{Y} \in \Gamma_0 | X = 0) + \pi_1 \Pr(\mathbf{Y} \in \Gamma_1 | X = 1) \\ &= \pi_0 \left[1 - \Pr(\mathbf{Y} \in \Gamma_1 | X = 0) \right] + \pi_1 \Pr(\mathbf{Y} \in \Gamma_1 | X = 1) \\ &= \pi_0 + \sum_{\mathbf{y} \in \Gamma_1} [\pi_1 \Pr(\mathbf{Y} = \mathbf{y} | X = 1) - \pi_0 \Pr(\mathbf{Y} = \mathbf{y} | X = 0)]\end{aligned}$$

Maximizing as a function of Γ_1 gives us the following partitions

$$\begin{aligned}\Gamma_0 &= \left\{ \mathbf{y} \in \Gamma \mid \pi_1 \Pr(\mathbf{Y} = \mathbf{y} | X = 1) < \pi_0 \Pr(\mathbf{Y} = \mathbf{y} | X = 0) \right\} \\ \Gamma_1 &= \left\{ \mathbf{y} \in \Gamma \mid \pi_1 \Pr(\mathbf{Y} = \mathbf{y} | X = 1) \geq \pi_0 \Pr(\mathbf{Y} = \mathbf{y} | X = 0) \right\}\end{aligned}$$

Optimal Decoder for Equally Likely Inputs

- Suppose $\pi_0 = \pi_1 = \frac{1}{2}$
- Let $d(\mathbf{y}, \mathbf{x})$ be the Hamming distance between \mathbf{y} and \mathbf{x}

$$\Pr(\mathbf{Y} = \mathbf{y} | X = 1) = p^{d(\mathbf{y}, 111)}(1-p)^{3-d(\mathbf{y}, 111)}$$

$$\Pr(\mathbf{Y} = \mathbf{y} | X = 0) = p^{d(\mathbf{y}, 000)}(1-p)^{3-d(\mathbf{y}, 000)}$$

- If $p < \frac{1}{2}$, then

$$\Gamma_0 = \left\{ \mathbf{y} \in \Gamma \mid d(\mathbf{y}, 000) < d(\mathbf{y}, 111) \right\} = \{000, 100, 010, 001\}$$


$$\Gamma_1 = \left\{ \mathbf{y} \in \Gamma \mid d(\mathbf{y}, 000) \geq d(\mathbf{y}, 111) \right\} = \{111, 011, 101, 110\}$$

- The majority decoder is optimal for a BSC if $p < \frac{1}{2}$ and inputs are equally likely

Error Analysis for 3-Repetition Code

$$\Gamma_0 = \{000, 100, 010, 001\}, \Gamma_1 = \{111, 011, 101, 110\}$$

$$\begin{aligned} \Pr(\hat{X} \neq X) &= \pi_0 \Pr(\mathbf{Y} \in \Gamma_1 | X = 0) + \pi_1 \Pr(\mathbf{Y} \in \Gamma_0 | X = 1) \\ &= p^3 + 3p^2(1 - p) \end{aligned}$$



Questions?